

Technical Data Sheet

742

742 Twill Weave Glass Fabric



General Description

Episize™ Glass Fabrics are ideal for building composite laminates and repairing fibreglass structures. They may also be used to provide an abrasion-resistant covering for wood structures. When thoroughly wetted with WEST SYSTEM epoxy, the lighter fabrics become transparent, allowing a clear, natural wood finish.

742 2x2 Twill Weave Glass Fabric is excellent for use in general sheathing work on hulls and decks, has good drapability.

742-5 5m of 1200mm wide 200g/m² Twill Weave Glass Fabric

742-10 10m of 1200mm wide 200g/m² Twill Weave Glass Fabric

742-25 25m of 1200mm wide 200g/m² Twill Weave Glass Fabric

742-50 50m of 1200mm wide 200g/m² Twill Weave Glass Fabric

Characteristics

Width	1200mm
Weight	200g/m ²
Fibre Orientation	0°/90°
Warp	50%
Weft	50%
Approximate thickness.....	0.19mm
Cured Appearance	Clear
Ends cm	14.00
Picks cm	14.00
Warp Fibre	EC9 68 TEX
Weft Fibre.....	EC9 68 TEX

West System International
Cupernham House
Cupernham Lane
Romsey, Hampshire
SO51 7LF, UK

+44(0)1794 521111

westsystem.co.uk

ISO9001:2008 Certified

REV 1 / Nov, 2016

These are typical properties and cannot be construed as a specification. The end users should test the products to ensure the products are suitable for the intended application. Any information, data, advice or recommendation published by Wessex Resins by other means and whether relating to Wessex Resins' materials or other materials, is given in good faith and believed to be reliable.